Dart Aerospace Ltd. Thursday, 5/11/2006 11:52:28 AM Date: Kim Johnston . User: **Process Sheet** : CU-DAR001 Dart Helicopters Services Customer **Drawing Name** : STRUT Job Number : 27062 : 10961 **Estimate Number** :NIA : D2565209 **Part Number** P.O. Number S.O. No. : N/A : 5/11/2006 : D2565 REV E This Issue **Drawing Number** : NC Project Number : N/A Prsht Rev. : N/A : SMALL /MED FAB : E Type First Issue **Drawing Revision** :NIA : 26245 Material **Previous Run** : 5/17/2006 **Due Date** Qty: 4 Um: Written By Checked & Approved By Added Powder Coat, Removed Polish, and Comment Added Inspection Levels 3 & 21 **Additional Product** Job Number: Seq. #: Description: M304TR0750W049 1.0 304 RD Tube .750 x .049W Comment: Qty.: 1.3475 f(s)/Unit Total: 5.3899 f(s) Material: 304/316 SS tubing 0.750" Dia. x 0.049" wall 06.05.15 Batch No: 17 100 (M304TR0750W049) 2.0 BRAKE NC Comment: BRAKE NC Punch as per Dwg D2565 using DT 8313 06.05.15 3.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 Deburr 06.05.16 INSPECT WORK TO CURRENT STEP 4.0 QC5

POWDER COATING

Page 1

5.0

Comment: INSPECT WORK TO CURRENT STEP

Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3

Comment: POWDER COATING

Each

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES							
DATE STEP		PROCEDURE CHANGE By		By Date Q		Approval Mfg / Design Mgr	Approval QC Inspector		
					-				

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC	Corrective Action Section B			Varification	A			
DATE	STEP	Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Verification Section C	Approval Design Mgr	Approval QC Inspector		
				•						
								-		
	,									

Part No:	PAR #:	Fault Category: NCF	₹:	Yes No DQA:	Date: <u>ੴ/(\5 ∫) &</u>
NOTE: Date & initial all entries				QA: N/C Closed:	Date:

Thursday, 5/11/2006 11:52:28 AM Date: User: Kim Johnston **Process Sheet Drawing Name: STRUT** Customer: CU-DAR001 Dart Helicopters Services Job Number: 27062 Part Number: D2565209 Job Number: Seq. #: Machine Or Operation: **Description:** INSPECT POWDER COAT/CHEMICAL CONVERSION 6.0 QC3 Comment: INSPECT POWDER COAT 06-05-66 PACKAGING 1 7.0 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location:_ST186 DC DOCUMENT CONTROL 8.0 U der05-18 Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector		
				•					
NCR:		WORK ORDER NON-CON	FORMANCE (NC	R)			•		

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B	Verification	Approval	Annroval			
DATE	STEP	Section A	Initial Action Description Sign & Design Mgr Date		Sign & Date	Section C	Design Mgr	Approval QC Inspector		
					,					
				•						
				:						
								:		
				,						


Part No:	PAR #:	Fault Category:	NCR:	Yes	No	DQA:	Date:
NOTE: Date & initial all entries				QA: N	/C C	osed:	Date:





DESIGN		DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHEC	KED	APPROVED	DRAWING NO. REV. E
	#	#	D2565 SHEET 1 OF 1
DATE			TITLE SCALE
04.0	05.05		STRUT 1:3
Α		96.05.03	NEW ISSUE
В		97.03.15	CORRECT D2565-111 DIM. A
С		98.10.05	UPDATED MATERIAL NOTE (TSR A603)
D		02.06.05	ADD -3XX PARTS; ADD FINISH
E		04.05.05	ADD D2565-401-411; RMV ANGLE D

PART #



A B B
DIA 0.257 TO BE PUNCHED — "C" DIA TO BE OPENED MANUALLY
PUNCH ENDS PER SPEC CONTROL DRAWING D2638 -

	1 / XXX 1 17		י	
		20.52		
	D2565-103			
	D2565-105	20.19	19.39	0.316
	D2565-107	13.43	12.63	_
	D2565-109	12.31	11.51	_
	D2565-111	13.65	12.85	****
	D2565-201	22.79	22.00	0.316
	D2565-203	20.75	19.95	0.316
	D2565-205	21.22	20.42	0.316
	D2565-207	16.07	15.27	_
/	D2565-209	15.16	14.36	-
	D2565-211	14.14	13.34	
	D2565-301	27.03	26.23	0.316
	D2565-303	25.34	24.54	0.316
	D2565-305	23.73	22.93	0.316
	D2565-307	20.86	20.06	
	D2565-309	20.17	19.37	_
	D2565-311	16.30	15.50	
	D2565-401	18.29	17.49	0.316
	D2565-403	15.64	14.84	0.316
	D2565-405	19.45	18.65	0.316
	D2565-407	10.79	9.99	_
	D2565-409			_
	D2565-411	13.81		

A

GENERAL NOTES

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL (REF DART SPEC. M304TR0.750W0.049)

ENSURE SEAMLESS TUBE IS USED

2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3 3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED

4) ALL DIMENSIONS ARE IN INCHES

SHOP COPY RETURN TO **ENGINEERING**

DIA C

UNCONTROLLED C∳PY SUBJECT TO AMENDMENT WITHOUT NOTICE

WORK ORDER

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

	There is a second of the secon		
			<u> </u>
		•	
in the second se			
ļ			
6. 6.			
			12
* -			
			i
4			
: •			in the second of
		•	
			1
٠,			!
•			
			\$
		·	
\$1. }			
· ·			
			6
•			
			e e e e e e e e e e e e e e e e e e e
			`
(-	and the second s		ř
	and the second second self-the second		






DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO.	REV. A
Max	14	D2638 SHEET	1 OF 1
DATE	1/	TITLE	SCALE
98.04.28		PUNCH DT8117 SPEC CONTROL	1:1
 A	98.04.28	NEW ISSUE	



SPECIFICATION CONTROL DRAWING



SHOP COPY RETURN TO **ENGINEERING** UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE work order No. 27062